UNITED STATES PATENT APPLICATION

of

David W. Cannell

and

Nghi Van Nguyen

FOR

HEAT ACTIVATED DURABLE STYLING COMPOSITIONS COMPRISING

 $C_{\scriptscriptstyle 1}$ to $C_{\scriptscriptstyle 22}$ Substituted $C_{\scriptscriptstyle 3}\text{-}C_{\scriptscriptstyle 5}$ monosaccharides and Methods for Same

5

The present invention relates to compositions, kits comprising these compositions, and methods for using these compositions for durable non-permanent shaping or for durable retention of a non-permanent shape of at least one keratinous fiber, including human keratinous fibers, by applying to the at least one keratinous fiber compositions which comprise at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain, and, in certain embodiments, at least one film forming agent different from the at least one compound, and heating the at least one keratinous fiber. These compositions may both impart a durable non-permanent shape to the at least one keratinous fiber and durably retain a non-permanent shape of the at least one keratinous fiber.

In today's market, many consumers prefer the flexibility of non-permanent hairstyles, that is, those styles obtained via non-permanent shaping of the hair. Typically, such non-permanent styles disappear when the hair is wetted, especially when the hair is washed with water and/or shampoo. Methods for non-permanent shaping of keratinous fibers include, for example, brushing, teasing, braiding, the use of hair rollers, and heat styling, optionally with a commercially available styling product. Non-limiting examples of heat styling include blow drying, crimping and curling methods using elevated temperatures (such as, for example, setting hair in curlers and heating, and curling with a curling iron and/or hot rollers).

While such compositions and methods may provide for non-permanent shaping of keratinous fibers, many consumers desire a higher degree of styling than most commercially available products and methods employing these products provide. For

example, many consumers desire compositions and methods that improve non-permanent curl formation. There is a need, therefore, for compositions and methods for nonpermanent shaping of keratinous fibers that result in a higher degree of styling, such as non-permanent curl formation.

Further, many people desire compositions and methods for retaining a particular non-permanent shape or style of keratinous fibers such as hair. A common way to retain a particular hairstyle is with the use of a hairspray, typically applied after styling the hair. Other methods to retain a hairstyle or shape of keratinous fibers include the use of mousses, gels, and lotions. The materials in these compositions are generally film forming agents, resins, gums, and/or adhesive polymers.

While such compositions and methods may provide for non-permanent shaping of keratinous fibers, many consumers desire compositions and methods for durable retention of a particular non-permanent shape or style of keratinous fibers such as hair, such as, for example, those that hold or maintain a shape of a keratinous fiber until the keratinous fiber is washed with water and/or shampoo. Further, many consumers desire compositions and methods that allow hair to retain a particular shape longer than untreated hair, even after washing or shampooing the hair.

Thus, while commercially available compositions may provide temporary setting benefits, many consumers desire a higher level of retention or hold. Good holding power is one attribute a consumer looks for in styling products for keratinous fibers. Specifically, curl retention under conditions of changing humidity, for example changes to a higher humidity, is sought after by the consumer. Further, good curl retention in damaged hair is

important to the consumer since the hair fiber has been weakened and will be less likely to maintain the curl. Therefore, there is also a need for methods for durably retaining a shape of keratinous fibers even under conditions of high humidity, such as at atmospheric humidity above 40%.

Sugars and sugar derivatives are one class of the countless number of compounds that have been added to hair care compositions. Documented uses of sugars in hair care compositions include: the use of glucose to improve the tactile and elastic properties of natural hair (Hollenberg and Mueller, SOFW J. 121(2) (1995)); the use of glucose for hair damage prophylaxis and damaged hair repair (Hollenberg & Matzik, Seifen, Oele, Fette, Wachase 117(1) (1991)); the use of glucose in shampoos (J04266812, assigned to Lion Corp.); the use of trehalose for moisture retention (J06122614, assigned to Shiseido Co. Ltd.); a composition for the lanthionization of hair comprising a sugar (U.S. Patent Nos. 5,348,737 and 5,641,477, assigned to Avlon Ind. Inc.); the incorporation of xylobiose into cosmetic compositions to provide enhanced moisture retention and reduce excessive roughness and dryness of the skin and hair (U.S. Patent No. 5,660,838, assigned to Suntory Ltd.); a composition for the regeneration of hair split-ends that contains at least one mono- or di-saccharide (U.S. Patent No. 4,900,545, assigned to Henkel); hair care compositions to improve hair strength, hold and volume that contain C_5 to C_6 carbohydrates such as glucose; the use of fucose in a hair treatment to prevent split ends (DE29709853, assigned to Goldwell GMBH); and the use of saccharides in a shampoo to improve combing properties and control hair damage (J09059134, assigned to Mikuchi Sangyo KK).

5

In essence, sugars have been applied to hair for countless reasons from moisturizing to enhancing hair growth (J10279439, assigned to Kureha Chem. Ind. Co. Ltd.). Clearly, however, not all sugars are the same and not all sugars impart the same properties when applied to a keratinous fiber.

The inventors have envisaged the application to at least one keratinous fiber of at least one composition comprising at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain. In particular, the

inventors have discovered that compositions and methods using these compositions

comprising applying to the at least one keratinous fiber at least one compound chosen

from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain, and

heating the at least one keratinous fiber are useful for durable non-permanent shaping of

at least one keratinous fiber or for durable retention of a non-permanent shape of at least

one keratinous fiber.

Thus, to achieve at least one of these and other advantages, the present invention, in one aspect, provides a composition for durable non-permanent shaping of at least one keratinous fiber or durable retention of a non-permanent shape of at least one keratinous fiber comprising at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain, and at least one film forming agent different from the at least one compound, wherein the at least one compound and the at least one film forming agent are present in an amount effective to impart a durable non-permanent shape to the at least one keratinous fiber or to durably retain a non-permanent shape of the at least one keratinous fiber. In one embodiment, the composition is heat-activated.

5

In another embodiment, the present invention is drawn to a method for durable non-permanent shaping of at least one keratinous fiber or durable retention of a non-permanent shape of at least one keratinous fiber comprising applying to the at least one keratinous fiber (i) at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain and (ii) at least one film forming agent different from the at least one compound; and heating the at least one keratinous fiber, wherein the at least one compound and at least one film forming agent are present in an amount effective to impart a durable non-permanent shape to the at least one at least one keratinous fiber or to durably retain a non-permanent shape of the at least one keratinous fiber, and further wherein the composition is applied prior to or during heating.

The present invention, in another aspect, provides a composition for durable non-permanent shaping of at least one keratinous fiber or durable retention of a non-permanent shape of at least one keratinous fiber comprising at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain, wherein the at least one compound is present in an amount effective to impart a durable non-permanent shape to the at least one keratinous fiber or to durably retain a non-permanent shape of the at least one keratinous fiber. In one embodiment, the composition is heat-activated.

In another embodiment, the present invention is drawn to a method for durable non-permanent shaping of at least one keratinous fiber or durable retention of a non-permanent shape of at least one keratinous fiber comprising applying to the at least one keratinous fiber at least one compound chosen from C_3 to C_5 monosaccharides substituted with at

20

5

least one C₁ to C₂₂ carbon chain; and heating the at least one keratinous fiber, wherein the at least one compound is present in an amount effective to impart a durable nonpermanent shape to the at least one at least one keratinous fiber or to durably retain a nonpermanent shape of the at least one keratinous fiber, and further wherein the composition is applied prior to or during heating.

In yet another embodiment, the present invention provides a kit for durable nonpermanent shaping of at least one keratinous fiber or durable retention of a non-permanent shape of at least one keratinous fiber comprising at least one compartment, wherein a first compartment comprises a first composition comprising at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain. In one embodiment, at least one compartment comprises at least one additional sugar, different from the at least one compound, and in another embodiment, at least one compartment comprises at least one film forming agent.

Certain terms used herein are defined below:

"At least one" as used herein means one or more and thus includes individual components as well as mixtures/combinations.

"Durable retention of a shape" as used herein means that, following at least six shampoos after treatment, treated hair still retains the ability to retain a particular shape after styling as compared to the ability of untreated hair to retain a particular shape after styling.

20

"Durable shaping," as used herein, refers to holding or keeping a shape of a keratinous fiber until the keratinous fiber is washed with water and/or shampoo. Retention of a shape can be evaluated by measuring, and comparing, the ability to retain a curl under conditions of high relative humidity of the treated hair and of the untreated hair in terms of Curl Efficiency (for example, see Examples 1 and 2).

"Heating" refers to the use of elevated temperature (i.e., above 100°C). In one embodiment, the heating in the inventive method may be provided by directly contacting the at least one keratinous fiber with a heat source, e.g., by heat styling of the at least one keratinous fiber. Non-limiting examples of heat styling by direct contact with the at least one keratinous fiber include flat ironing, and curling methods using elevated temperatures (such as, for example, setting hair in curlers and heating, and curling with a curling iron and/or hot rollers). In another embodiment, the heating in the inventive method may be provided by heating the at least one keratinous fiber with a heat source which may not directly contact the at least one keratinous fiber. Non-limiting examples of heat sources which may not directly contact the at least one keratinous fiber include blow dryers, hood dryers, heating caps and steamers.

"A heat-activated" composition, as used herein, refers to a composition which, for example, shapes the at least one keratinous fiber better than the same composition which is not heated during or after application of the composition. Another example includes composition which retains a shape of at least one keratinous fiber better than the same composition which is not heated during or after application.

15

"High humidity" as defined herein refers to atmospheric humidity above 40%.

"Keratinous fibers" as defined herein may be human keratinous fibers, and may be chosen from, for example, hair.

"Non-permanent shaping" of keratinous fibers, as used herein, refers to a method of setting keratinous fibers in a particular shape or style which does not comprise breaking and reforming disulfide bonds within a keratinous fiber.

"Non-permanent shape" of keratinous fibers, as used herein, refers a shape or style of keratinous fibers obtained without breaking and reforming disulfide bonds within a keratinous fiber.

"Oligosaccharides" as defined herein refers to compounds generally comprising from two to ten monosaccharide units, which may be identical or different, bonded together.

"Polysaccharides" as defined herein refers to compounds generally comprising greater than ten monosaccharide units, which may be identical or different, bonded together.

"Polymers" as defined herein comprise copolymers (including terpolymers) and homopolymers.

It is to be understood that both the foregoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the

5

invention, as claimed. Reference will now be made in detail to exemplary embodiments of the present invention.

As described above, sugars have been used in hair care compositions and other treatments for their moisture retaining properties. However, it was unexpectedly discovered by the present inventors that, in addition to retaining moisture, a certain class of sugars imparted a durable non-permanent shape or durable retention of a non-permanent shape or style to at least one keratinous fiber. In particular with respect to hair, compounds chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain were found to impart good curl formation to the at least one keratinous fiber, and to prevent such curls from drooping, for example, due to humidity. Further, these compounds may impart to the at least one keratinous fiber an ability to retain a particular style even after shampooing the at least one keratinous fiber subsequent to treatment with a composition comprising at least one such compound. This is particularly true when the compounds are applied to the hair, and then the hair is heated.

Thus, the invention provides compositions for durable non-permanent shaping of at least one keratinous fiber or durable retention of a non-permanent shape of at least one keratinous fiber comprising (i) at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain and, optionally, (ii) at least one film forming agent, wherein the at least one compound and, optionally, the at least one film forming agent are present in an amount effective either to impart a durable non-permanent shape to the at least one keratinous fiber or to durably retain a non-permanent shape of the at least one keratinous fiber, depending on the embodiment. In

one embodiment, the composition is heat-activated. In another embodiment, the composition both imparts a durable non-permanent shape to the at least one keratinous fiber and durably retains a non-permanent shape of the at least one keratinous fiber. The composition may further comprise at least one additional sugar.

The present invention also provides methods for durable non-permanent shaping of at least one keratinous fiber or for durable retention of a non-permanent shape of at least one keratinous fiber comprising applying to the at least one keratinous fiber a composition comprising (i) at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain and, optionally, (ii) at least one film forming agent; and heating the at least one keratinous fiber. The composition may be applied prior to or during heating. Further, the at least one compound and, optionally, the at least one film forming agent are present in an amount effective either to impart a durable non-permanent shape to the at least one keratinous fiber or to durably retain a non-permanent shape of the at least one keratinous fiber, depending on the embodiment. In one embodiment, the composition both imparts a durable non-permanent shape to the at least one keratinous fiber and durably retains a non-permanent shape of the at least one

According to certain embodiments of the present invention, the at least one compound may be used in conjunction with at least one film-forming agent, such as, for example, film forming polymers and resins. For example, the film forming polymers may be chosen from cationic polymers, anionic polymers and nonionic polymers. Non-limiting examples of the at least one film forming agent are those listed at pages 1744 to 1747 of

keratinous fiber. The composition may further comprise at least one additional sugar.

5

embodiment, the at least one film forming agent may be chosen from water soluble compounds, oil soluble compounds and compounds soluble in organic solvents. According to the present invention, the at least one film forming agent may be present in an amount generally ranging from 0.01% to 30% of active material by weight relative to the total weight of the composition, such as from 0.1% to 10% of active material by weight. One of ordinary skill in the art will recognize that the at least one film forming agent according to the present invention may be commercially available, and may come from suppliers in the form of a dilute solution. The amounts of the at least one film forming agent disclosed herein therefore reflect the weight percent of active material.

the CTFA International Cosmetic Ingredient Dictionary, 8th edition (2000).

Non-limiting examples of the at least one film forming agent are those disclosed in WO 01/18096, the disclosure of which is incorporated herein by reference. Other non-limiting examples of the at least one film forming agent include copolymers derived from (i) at least one vinyl monomer comprising at least one quaternary ammonium group and (ii) at least one additional monomer chosen from acrylamide, methacrylamide, alkyl acrylamides, dialkyl acrylamides, alkyl methacrylamides, dialkyl methacrylamides, alkyl acrylate, alkyl methacrylate, vinyl caprolactone, vinyl pyrrolidone, vinyl esters, vinyl alcohol, maleic anhydride, propylene glycol, and ethylene glycol.

Further non-limiting examples of the at least one film forming agent include:

 vinyl acetate/vinyl tert butylbenzoate/crotonic acid terpolymers such as those described in U.S. Patent No. 4,282,203, the disclosure of which is incorporated herein by reference;

5

- N-octylacrylamide/methyl methacrylate/hydroxypropy! methacrylate/acrylic acid/tert-butylamino-ethyl methacrylate copolymers such as those sold by NATIONAL STARCH under the name "AMPHOMER LV-71":
- corn starch/polyvinylpyrrolidone copolymers such as Corn Starch Modified sold by National Starch and Chemicals under the name Amaize®;
- vinylpyrrolidone/vinyl acetate copolymers such as those sold by BASF under the name "LUVISKOL VA 64 Powder":
- vinyl acetate/crotonic acid/vinyl neodecanoate terpolymers such as those sold by NATIONAL STARCH under the name "RESYN® 28-2930";
- acrylic acid/ethyl acrylate/N-tert-butylacrylamide terpolymers such as those sold by BASF under the name "ULTRA-HOLD 8";
- acrylic acid/acrylates/hydroxyacrylates/succinic acid copolymers such as

 Acrylates/C1-2 succinates hydroxyacrylates copolymer sold by ISP as ALLIANZ LT
 120;
- vinyl acetate/crotonic acid (90/10) copolymers such as those sold by BASF under the name "LUVISET CA 66";
- acrylic acid/methacrylic acid/acrylates/methacrylates copolymers such as Acrylates Copolymer sold by Amerchol Corp. (Edison, N.J., USA); and
- vinylcaprolactam/vinylpyrrolidone/dimethylamino ethyl methacrylate copolymers such as those sold by GAF under the name "POLYMER ACP-1018".

Further non-limiting examples of the at least one film forming agent include:

5

- copolymers derived from (i) 1-vinyl-2-pyrrolidone and (ii) 1-vinyl-3-methylimidazolium salt (CTFA designation: polyquaternium-16), which is commercially available from BASF Corporation under the LUVIQUAT tradename (*e.g.*, LUVIQUAT FC 370);
- copolymers derived from reaction of (i) vinylcaprolactam and (ii) vinylpyrroldone with methylvinylimidazolium methosulfate, (CTFA designation: polyquaternium-46), which is commercially available from BASF;
- copolymers derived from (i) vinylpyrrolidone and (ii) quaternized imidazoline monomers (CTFA designation: polyquaternium-44), which is commercially available from BASF;
- copolymers derived from (i) 1-vinyl-2-pyrrolidone and (ii) 1-vinyl-3-methylimidazolium salt (CTFA designation: polyquaternium-16), which is commercially available from BASF Corporation under the LUVIQUAT tradename (*e.g.*, LUVIQUAT FC 370);
 - poly(vinylamine), optionally quaternized;
 - poly-4-vinyl pyridine, optionally quaternized;
 - poly(ethyleneimine), optionally quaternized;
- dimethyldiallylammonium chloride homopolymer (CTFA designation: polyquaternium-6);
- copolymers derived from (i) acrylamide and (ii) dimethyldiallylammonium chloride (CTFA designation: polyquaternium-7);

5

- copolymers derived from (i) dimethyldiallylammonium chloride and (ii) sodium acrylate (CTFA designation: Polyquaternium-22); and
- terpolymers derived from (i) dimethyldiallylammonium chloride, (ii) acrylic amide and (iii) sodium acrylate (CTFA designation: Polyquaternium-39).

Other non-limiting examples of the at least one film forming agent include derivatives of polysaccharide polymers such as cationic cellulose derivatives, for example, cationic cellulose, which is available from Amerchol Corp. (Edison, N.J., USA) in their Polymer JRTM, LRTM and SRTM series of polymers, as salts of hydroxyethyl cellulose reacted with trimethyl ammonium substituted epoxide (CTFA designation: polyquaternium-10); polymeric quaternary ammonium salts of hydroxyethyl cellulose reacted with lauryl dimethyl ammonium-substituted epoxide (CTFA designation: polyquaternium-24), which is available from Amerchol Corp. (Edison, N.J., USA) under the tradename Polymer LM-200TM; and cationic starch and derivatives thereof, such as quaternary starch, which is available from Croda.

In one embodiment, the at least one film forming agent is chosen from cationic polymers such as polyquaternium-16, polyquaternium-46, and polyquaternium-44. In another embodiment, the at least one film forming agent is chosen from nonionic polymers such as polymers derived from (1) corn starch and (2) polyvinylpyrrolidone; and copolymers derived from (1) vinyl acetate and (2) vinylpyrrolidone. In yet another embodiment, the at least one film forming agent is chosen from anionic polymers such as polymers derived from (1) vinyl acetate, (2) crotonic acid and (3) vinyl neodecanoate, polymers derived from (1) acrylic acid, (2) acrylates, (3) hydroxyacrylates and (4) succinic

acid, and polymers derived from at least two monomers chosen from acrylic acid, methacrylic acid, esters of acrylic acid and esters of methacrylic acid. The at least one film forming agent chosen from anionic polymers can be neutralized in order to render the anionic polymers soluble.

5

The C_3 to C_5 monosaccharides according to the present invention may be chosen from any triose, tetrose and pentose. Further, the C_3 to C_5 monosaccharides can be chosen from the D-form, L-form and mixtures of any of the foregoing. Non-limiting examples of C_3 to C_5 monosaccharides include aldopentoses (such as xylose, arabinose, lyxose, and ribose), ketopentoses (such as ribulose and xylulose), aldotetroses (such as erythrose and treose), ketotetroses (such as erythrulose), aldotrioses (such as glyceraldehyde) and ketotrioses (such as dihydroxyacetone). The C_3 to C_5 monosaccharides may be chosen from C_3 to C_5 monosaccharides comprising aldehyde groups (aldoses), furanoses and other ring structures. The C_3 to C_5 monosaccharides may be further substituted with at least one group different from the C_1 to C_{22} carbon chain.

20

Derivatives of C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain may be used as the at least one compound of the present invention. For example, ammonias or primary amines may react with the aldehyde or ketone group of a sugar to form an imine derivative (*i.e.*, a compound containing the functional group C=N). These imine compounds are sometimes also referred to as Schiff bases. Other non-limiting examples of derivatives of C_3 to C_5 monosaccharides are hemiacetal derivatives of C_3 to C_5 monosaccharides, hemiketal derivatives of C_3 to C_5 monosaccharides and any oxidized derivatives of C_3 to C_5 monosaccharides. These derivatives may be formed, for

5

example, from the reaction of the aldehyde or ketone group of a sugar with an alcohol. Other exemplary derivatives of C_3 to C_5 monosaccharides may also include, but are not limited to, oligosaccharides derived from C_3 to C_5 monosaccharides, such as xylobiose. As previously mentioned, the at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain may be further substituted with at least one group different from the at least one C_1 to C_{22} carbon chain. Thus, in one embodiment, the derivatives of C_3 to C_5 monosaccharides may be further substituted with at least one group different from the at least one C_1 to C_{22} carbon chain.

According to the present invention, the at least one C_1 to C_{22} carbon chain may be chosen from linear, branched and cyclic C_1 to C_{22} carbon chains, which are saturated or unsaturated. The at least one C_1 to C_{22} carbon chain may optionally be substituted. In one embodiment, the at least one C_1 to C_{22} carbon chain is chosen from C_{16} to C_{18} carbon chains. In another embodiment, the at least one C_1 to C_{22} carbon chain is chosen from C_{16} carbon chains and C_{18} carbon chains. Non-limiting examples of C_{16} carbon chains are linear hexadecyl chains, and non-limiting examples of C_{18} carbon chains are linear octadecyl chains.

Further, the C_3 to C_5 monosaccharides may be substituted with the at least one C_1 to C_{22} carbon chain at any position on the sugar. For example, in one embodiment, a C_3 to C_5 monosaccharide is substituted with at least one C_1 to C_{22} carbon chain at the C1 position of the C_3 to C_5 monosaccharide. In another embodiment, a C_3 to C_5 monosaccharide is substituted with the at least one C_1 to C_{22} carbon chain at at least one of the hydroxyl groups of the C_3 to C_5 monosaccharide. As used herein, substituted at at

least one of the hydroxyl groups of a C_3 to C_5 monosaccharide means at least one of substitution on the hydroxyl group itself (*i.e.*, formation of an ether linkage between the C_3 to C_5 monosaccharide and the C_1 to C_{22} carbon chain) and substitution on the carbon atom to which the hydroxyl group is commonly bonded. Further, the C_3 to C_5 monosaccharides may be substituted with the at least one C_1 to C_{22} carbon chain at a carbon atom bearing no hydroxyl groups (*i.e.*, a CH_2 within the C_3 to C_5 monosaccharide or a carbon atom within the C_3 to C_5 monosaccharide bearing substituents other than a hydroxyl group). Further, the C_3 to C_5 monosaccharides may be further substituted with at least one substituent different from the at least one C_1 to C_{22} carbon chain.

According to the present invention, the at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain is present in the composition in an amount generally ranging from 0.01% to 10% by weight relative to the total weight of the composition, such as from 0.1% to 5% by weight.

The compositions of the present invention as well as those of the inventive methods may further comprise at least one additional sugar which is different from the at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain. The at least one additional sugar may, for example, aid in moisture retention. The effectiveness of a sugar in aiding in moisture retention may be measured by monitoring a DSC peak at a temperature ranging from 75°C to 200°C.

The at least one additional sugar may be chosen from any sugar, carbohydrate and carbohydrate moiety. Non-limiting examples of the at least one additional sugar are monosaccharides, which include, but are not limited to, three to seven carbon sugars such

5

as pentoses (for example, ribose, arabinose, xylose, lyxose, ribulose, and xylulose) and hexoses (for example, allose, altrose, glucose, mannose, gulose, idose, galactose, talose, sorbose, psicose, fructose, and tagatose); oligosaccharides such as disaccharides (such as maltose, sucrose, cellobiose, trehalose and lactose); and polysaccharides such as starch, dextrins, cellulose and glycogen. In one embodiment, the at least one additional sugar of the invention are chosen from any aldoses and ketoses.

Further, the at least one additional sugar may be substituted or unsubstituted. For example, the at least one additional sugar may be substituted with at least one C_1 to C_{22} carbon chain. In one embodiment, the at least one C_1 to C_{22} carbon chain is chosen from linear, branched and cyclic C_1 to C_{22} carbon chains, which are saturated or unsaturated. For example, the at least one C_1 to C_{22} carbon chain may be chosen from C_{16} to C_{18} carbon chains (such as C_{16} carbon chains and C_{18} carbon chains). Further, for example, C_{16} carbon chains may be chosen from linear hexadecyl chains and C_{18} carbon chains may be chosen from linear octadecyl chains. In one embodiment, the at least one additional sugar is substituted with at least one C_1 to C_{22} carbon chain at the C1 position of the at least additional one sugar.

According to the present invention, the at least one additional sugar is present in the composition in an amount generally ranging from 0.01% to 10% by weight relative to the total weight of the composition, such as from 0.1% to 5% by weight.

The compositions of the present invention as well as those of the inventive methods may be in the form of a liquid, an oil, a paste, a stick, a dispersion, an emulsion, a lotion, a gel, or a cream. Further, these compositions may further comprise at least one suitable

limiting examples of the at least one suitable additive include anionic surfactants, cationic surfactants, nonionic surfactants, amphoteric surfactants, fragrances, penetrating agents, antioxidants, sequestering agents, opacifying agents, solubilizing agents, emollients, colorants, screening agents (such as sunscreens and UV filters), preserving agents, proteins, vitamins, silicones, polymers such as thickening polymers, plant oils, mineral oils, synthetic oils and any other additive conventionally used in compositions for the care and/or treatment of keratinous fibers.

additive chosen from additives commonly used in compositions for keratinous fibers. Non-

Needless to say, a person skilled in the art will take care to select the at least one suitable additive such that the advantageous properties of the composition in accordance with the invention are not, or are not substantially, adversely affected by the addition(s) envisaged.

The compositions of the present invention and those used in the methods of the present invention may also be provided as one-part compositions comprising at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain and, optionally, at least one additional sugar, and further, optionally at least one film forming agent, or in the form of a multi-component treatment or kit. The skilled artisan, based on the stability of the composition and the application envisaged, will be able to determine how the composition and/or multicomponent compositions should be stored and mixed. For example, simple sugars such as C_3 to C_5 monosaccharides are known to be stable at pH levels ranging from 4 to 9. In compositions where the pH range is below

5

or above these levels, the sugars would be stored separately and added to the composition only at the time of application.

Thus, the present invention also relates to a kit for durable non-permanent shaping of at least one keratinous fiber or for durable retention of a non-permanent shape of at least one keratinous fiber comprising at least one compartment, wherein a first compartment comprises a first composition comprising at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain. In one embodiment, the first composition further comprises at least one additional sugar, different from the at least one compound, while in another embodiment, the first composition further comprises at least one film forming agent.

According to one aspect of the invention, the at least one compound suitable for the present invention is a mixture of pentoses substituted with at least one C₁ to C₂₂ carbon chain. XYLIANCE brand modified pentoses is a blend of hexadecyl glycosides and octadecyl glycosides wherein the glycosides comprise D-xylosides, L-arabinosides, and D-glucosides. XYLIANCE may be obtained from Soliance, Route de Bazancourt -51110 Pomacle, France.

Unless otherwise indicated, all numbers expressing quantities of ingredients, reaction conditions, and so forth used in the specification and claims are to be understood as being modified in all instances by the term "about." Accordingly, unless indicated to the contrary, the numerical parameters set forth in the following specification and attached claims are approximations that may vary depending upon the desired properties sought to be obtained by the present invention. At the very least, and not as an attempt to limit the

application of the doctrine of equivalents to the scope of the claims, each numerical parameter should be construed in light of the number of significant digits and ordinary rounding approaches.

Notwithstanding that the numerical ranges and parameters setting forth the broad scope of the invention are approximations, the numerical values set forth in the specific examples are reported as precisely as possible. Any numerical value, however, inherently contains certain errors necessarily resulting from the standard deviation found in their respective testing measurements. The following examples are intended to illustrate the invention without limiting the scope as a result.

Examples 1 and 2

Unless otherwise noted, the following procedure was used in the following examples to determine the efficiency of C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain. Hair swatches (2 g., 6.5-7.5 in.) were treated with a solution of film former/XYLIANCE (0.5 g solution/g of hair) then blow dried. The hair swatches were then styled with a curling iron for 1 minute and the curly swatches were placed in a humidity chamber at 90% relative humidity for 1 hour.

The Curl Efficiency was calculated as:

 $L_t / L_o \times 100$

Where:

Lo represents the original length of fully extended hair

L_t represents the length of the hair after 1 hour in the humidity chamber

A lower Curl Efficiency represents a better curl retention.

Example 1. Curl Efficiency of XYLIANCE and Film Former

Hair was treated as described above with styling solutions that contain 3% of Octylacrylamide/Acrylates/Butylaminoethyl/Methacrylate Copolymer (AMPHOMER LV-71 from National Starch and Chemicals Co.), and varying amounts of XYLIANCE. The results are shown in Table 10.

Table 1. Curl Efficiency of Hair Treated with Amphomer LV-71 and XYLIANCE

Styling Solution	Curl Efficiency		
3% Amphomer LV-71/0% XYLIANCE	76		
3% Amphomer LV-71/0.1% XYLIANCE	72		
3% Amphomer LV-71/0.5% XYLIANCE	61		
3% Amphomer LV-71/1% XYLIANCE	60		

The data indicates that XYLIANCE improved the curl efficiency of hair that was treated with styling polymer.

Example 2. Effects of Xyliance and Neutralized Film Former

Hair was treated as described above with solutions of 0.5% XYLIANCE and 6% Amphomer LV-71 that had been neutralized with AMP at various degrees of neutralization. The results are shown in Table 11.

5

Table 2. Curl Efficiency of Hair Treated with 0.5% XYLIANCE and 6% Amphomer LV- 71 with Various Degrees of Neutralization

Degree of Neutralization	Curl Efficiency
0% Neutralization/0% XYLIANCE	84
0% Neutralization/0.5% XYLIANCE	73
40% Neutralization/0% XYLIANCE	67
40% Neutralization/0.5% XYLIANCE	57
80% Neutralization/0% XYLIANCE	63
80% Neutralization/0.5% XYLIANCE	59
100% Neutralization/0% XYLIANCE	59
100% Neutralization/0.5% XYLIANCE	56

The data indicate that XYLIANCE improved the curl retention of hair that was heat treated with styling polymer with various degrees of neutralization.

Example 3

The following procedure was used to treat the hair and measure the Curl Droop: Hair swatches (2 g., 6.5-7.5 in.) were treated with an ethanol solution containing 6%

Resyn® 28-2930 (neutralized to 85% with AMP) and 1% Xyliance (0.5 g solution/g of hair) then blow dried. The hair swatches were then heated with a flat iron for 1 minute and then shampooed with 10% sodium laureth sulfate (SLES). The treatment was repeated up to 6 times, as indicated. The treated hair swatches were shampooed 2, 4, and 6 times, then styled with a curling iron for 30 seconds and placed in a humidity chamber at 90% relative humidity to measure the Curl Droop. As the curl slowly relaxed in the humidity chamber, the length of the hair swatches was measured every minute (up to 15 minutes).

The Curl Droop was calculated as:

$$[(L_o - L_t)/(L_o - L_i)] \times 100$$

Where:

- Lo represents the original length of fully extended hair
- L_t represents the length of the hair at time t in the humidity chamber
- L_i represents the initial length of the hair at time 0 in the humidity chamber (*i.e.*, after styling with a curling iron for 30 seconds)

A higher Curl Droop represents a better curl retention.

Table 1. Curl Droop of Hair Treated with Corn Starch Modified

Solution Comprising 6% (active) Resyn® 28-2930 (85% neutralized)	0 minutes	5 minutes	10 minutes	15 minutes
Without Xyliance, after treatment	100	94	86	75
With Xyliance, after treatment	100	95	89	77
Without Xyliance, after 2 shampoos	100	91	83	71
With glucosamine, after 2 shampoos	100	93	86	72
Without glucosamine, after 4 shampoos	100	90	75	57
With glucosamine, after 4 shampoos	100	91	78	65
Without glucosamine, after 6 shampoos	100	59	45	27
With glucosamine, after 6 shampoos	100	88	75	57

The data showed that hair treated with at least one film forming agent (Resyn® 28-2930 (neutralized to 85% with AMP)), at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain (Xyliance) and heat had a higher curl retention than hair treated with at least one film forming agent (Resyn® 28-2930 (neutralized to 85% with AMP)) and heat but without at least one compound chosen from C_3 to C_5 monosaccharides substituted with at least one C_1 to C_{22} carbon chain even after 6 shampoos.